


PLAN VIEW

PROTECTION OF TREES:
 TREES SHALL BE GUARDED WITH A GOOD SUBSTANTIAL FENCE, FRAME, OR BOX NOT LESS THAN FOUR (4) FEET HIGH AND EIGHT (8) FEET SQUARE, OR AT A DISTANCE IN FEET FROM THE TREE EQUAL TO THE DIAMETER AT BREAST HEIGHT (4-1/2 FEET ABOVE GRADE) OF THE TRUNK IN INCHES, WHICHEVER IS GREATER. MINIMUM RADIUS OF SNOW FENCING SHALL BE 1-FOOT FOR EACH 1-INCH DIAMETER OF TREE CALIPER.

SAMPLE CALCULATION:
 12" DIA TREE=12' SNOW FENCE

ALL BUILDING MATERIAL, DIRT OR OTHER DEBRIS, EQUIPMENT, AND VEHICLES SHALL BE KEPT OUTSIDE THE BARRIER.

PLACING MATERIAL ON PUBLIC PROPERTY: DO NOT DEPOSIT, PLACE OR MAINTAIN UPON ANY PUBLIC PLACE OF THE VILLAGE, ANY STONE, BRICK, SAND, CONCRETE, OR OTHER MATERIALS WHICH MAY IMPEDE THE FREE PASSAGE OF WATER, AIR, OR NUTRIENTS TO THE ROOTS OF ANY TREE GROWING.



PROFILE VIEW

TREE PROTECTION DETAIL

02/06/97 MAG
 01/23/07 KRL

03/22/2016 RFP

N.T.S.